




### **Kaz Technologies**

- Kaz Technologies was started in 1995
- We have a staff of 7 engineers
  - Over 91 years of combined racing and automotive engineering experience
- GM Racing
  - Resident 7-post and shock technical specialists
  - 7-post testing for GM racing
  - 7-post & damper testing tools
  - Race Engineering
- What else do we do?
  - Race Engineering for Stevenson and Dodge Viper
  - Damper design and development
  - Damper sales and service

### **Kaz Technologies Website**

### **YOUR information resource**



### **Steering Rack**

High quality steering racks from Kaz Technologies are now available. We have teamed up with Earnhardt Technologies Group to design and build a high quality steering rack for FSAE and small racing classes. Check out the features, specs and accessories for this rack and I am sure you will agree that it was well worth the wait.



#### Features- Price is \$670.00

- Front and rear low friction bushings on pinion gear shafts provide the support to eliminate lash
- Same low friction bushings guide the rack through to provide smooth operation while eliminating lash.
- Pinion shaft and rack seals to keep the dirt and moisture out.
- Adjustable trunion blocks along the rack tubes provide multiple mounting options and rack rigidity.

 $\cdot$  3/8-24 internal threaded rack extensions allow for a clevis or rod end of your choice.

• Tune-able travel stops to customize your steering requirements.

- Adjustable rack preload and lash.
- Optional integrated steering sensor.
- Weight: 3 lbs

• Rack Travel: 3.25 inches with standard rack extensions and 1/8 inch stops

• 3.25 inch rack travel at 246 deg of pinion rotation

• Rack travel for one revolution of the pinion is 4.75 inches

Copyright Kaz Tec

### **Steering Rack Accessories**

#### Accessories

- Clevis Ends
- High Performance Steering Sensor
- Race Quality Pinion U-joint





Sensor Potentiometers Price: \$99.00

#### **Special features:**

Long life

Converts rotary movement into proportional voltage

The bearings are protected by a special high-grade temperature resistant plastic material

Electrical conductors are sealed into the housing; keeping dirt and moisture out.

An elastomer-damped precious metal multi-finger wiper ensures reliable contact even under the severest of working conditions.

### **Wiring Harness**

The quality of FSAE products from Kaz Technologies continues with the introduction of our FSAE Chassis Harness. Each harness is constructed according to the racing industry standards; using racing components. We use waterproof DTM connectors and completely shrink wrap and seal every junctions. If you ever have to trace a certain wire, we make it easy by labeling each wire and providing a complete pin-out table and component location list. It doesn't get any easier

When you calculate your time, efforts and materials in making a harness and then add in the time to trouble shoot the problems, you will soon discover the Kaz Technologies Chassis Harness is the best choice. Your time is better spent working on other features for your car.



FSAE Chassis Harness Assembly Price: \$2699.00



**Pin-Out Table:** 

A complete pin-out table is provided with each harness. This table lists every connector with wire gauge, color and description for each pin. With this table is makes it very easy to trace wirings for troubleshooting, making changes or component additions.


21 Sv	vitch	Panel	Conn:			Boot:		GlueShrink				
			Backshell:									
Pin #	Conn. Pin Size	Description	Color	Gauge	Connects To:							
					Α	В	С	D	E	F	G	
C1-1	18	12 Volt Master (SW Panel, Spare)	Red	20	C31-2						SPL @ C3	
C1-2	18	Starter Relay SW input	Ppl	24	C19-1							
C1-3	18	Neutral Light Out	Grn	24	C30-2							
C1-4	18	Oil Light Out	Brn	24	C30-1							
C1-5		Up Shift	Yel	26	C30-3							
C1-6	18	Down Shift	Yel/Blk	26	C30-4							
C1-7	18	SW 1 (Display Mode/Alarm)	Wht/Red	26	C2-57							
C1-8	18	SW 2 (Display Scroll/Fuel Reset)	Blu/Wht	26	C2-58							
C1-9		SW 3 (Logger Active)	Grn/Wht	26	C2-59							
C1-10	18	0 Volt (Switches)	Blk/Wht	24	C2-56							
C1-11	18	Launch/TC Active	Org/Wht	26	C30-5							
C1-12	18	0 Volt ECU	Blk	20	C30-12						Spl @ C30	
2 Di	splav	(Data)	Conn:			Boot:	202K163					
	Conn. Pin		Backshell:					_				
Pin #	Size	Description	Color			-		Connects	10: E	-	-	
C2 1	22	AV 15					. ~	_ <b>D</b>	E	F	G	
C2-1		AV 15 AV 16						~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
C2-2 C2-3		AV 16 AV 17 (X Axis)							L			
		AV 17 (X AXIS) AV 18 (Y <u>Axis)</u>										
~~ <del>4</del>	L_ <u>22</u>	AV TO [T AXIS]							<u>_</u>	<u> </u>		
											~	

Kaz Technologies FSAE Chassis Harness Pin-Out Table

### **Wiring Harness Documentation**

**Chassis Component Locations:** 

Our harnesses were designed to fit a standard FSAE chassis. So to help you preplan the layout of your components and then to find the connector and what component is connected to that connector, we created a Chassis Component Location layout. Changing the location of your components is no problem. It is easily done by just extending the pigtail from the connector to the component.





### **Design Process**

As a Design judge, I am looking for a complete design process

- Objectives
- Design process
- Data to validate objectives
  - System/Component testing
  - Vehicle testing

### Objectives

#### Objectives need to be-

- Definitive
- > Measurable
  - Physical testing
  - > Vehicle performance
- Obtainable by YOUR team

### Vehicle Objectives

Start with vehicle design objectives

- Physical objectives
  - Weight
  - Torsional stiffness
  - Horsepower
- Performance objectives
  - Acceleration event time
  - Skid pad time or max lateral acceleration

### Chassis Objectives Examples

#### Vague

- Reduce weight from last year's car
- Forsional stiffness higher than last

year

- Better
  - Reduce weight by 10 lbs
  - Increase stiffness by 10%
- > Best
  - Chassis weight x lbs
  - Torsional stiffness x

### System Objectives

#### Design objectives for each system in the vehicle

These should mirror the design score sheet

- Suspension
- Frame/Body/Aero
- Powertrain
- Cockpit/Controls/Brakes/Safety
- System Management/Integration

Emphasize how these support your vehicle objectives

### **Design Process**

Outline the process you used to design each system

- Physical and performance objectives for the system
- Design process used
- Simulation/modeling/testing results used as part of the process
- Decisions made along the way and why

#### Design process documentation

- Clear, concise charts with labels and units
- Simple to read graphs with units
- Data to support design decisions to achieve objectives
- Various alternatives tried

### Validation of Objectives

#### **Physical testing**

Testing to confirm design meets objectives

- Vehicle weight
- Torsional twist test of chassis
- Engine dyno torque/horsepower curves
- Shock dyno curves
- Coast down testing

#### Vehicle Performance Testing

- Acceleration test
- > Skidpad
- Transient response test
- Etc.

### Validation of Objectives

Vehicle Performance Testing

- What changes were made to improve performance and exceed overall vehicle performance objectives?
- Data to support

Be creative with tests and data acquisition methods!

### Reasons Didn't Meet Objectives

#### If you didn't meet your objectives, why?

- What needs to be done to meet objectives
- Lessons learnt
- Further work to be done

## **Design Considerations**

### Ø

### **Compliments of Tony Lyscio**



### **Design Complexity**

#### Both do the same job...





What are the performance gains vs. cost, effort, and mass trade-offs?

### Aerodynamics

You must consider:


- Time and expense to design and build vs. REAL benefits
- development time
- mass effects
- actual competition benefits (stopwatch and judges)



### Composites

You must consider:

- Time and expense to design and build vs. REAL benefits
- Analysis capability, can you predict your performance?
- Development time
- Cost & mass effects
- Composites are **very** process sensitive, allow time to build it twice
- When problems are found in tech, what is plan B? Upfront integration.



### **Good Packaging Examples**

Well thought out,

Well integrated, and

Few surprises.






This is where the

Upfront work pays off

### **Often Overlooked Design Details**

- Fasteners- quality, grip lengths, common...
- > Welding- correct fillers
- > Composites- epoxy selection
- Engine Design / Calibration- part throttle
- Cooling system- heat rejection
- > Wiring- neat looms, proper gauge, shielding



#### Background

#### Sean O'Shea

#### Experience

- → Bosch Motorsport Sr. Engineer
  - Diesel Project Lead
- Maximum PSI Owner Co-Founder
  - Performance Automotive Company
- Rypos Sr Test Engineer
  - Diesel Emissions Test Engineer
- → BASF Catalysts Test Engineer
  - Diesel Emissions Test Engineer

#### Education

- Rutgers University
  - BS Mechanical Engineering
  - BA Economics
- → Kettering University
  - Formula Team 1998 2001
  - Clean Snowmobile 2001





#### Bosch Engineering North America

#### FSAE and the real world

#### Skills Developed with FSAE

- Fabrication Experience
- Product Design and Development
- Gasoline & Diesel Calibration

Experience







#### Bosch Engineering North America



Sean OShea | 24.08.2012 | © 2012 Robert Bosch LLC and affiliates. All rights reserved.


#### **Typical Projects**

→ All engineering success directly related to FSAE













Sean OShea | 24.08.2012 | © 2012 Robert Bosch LLC and affiliates. All rights reserved.

### Thank you for your time! Sean O'Shea - Bosch Motorsport

Bosch Engineering North America

29



Sean OShea | 24.08.2012 | © 2012 Robert Bosch LLC and affiliates. All rights reserved.

# Tri Gaffney

# Driveline Design



### **Driveline Sizing**

- Load Cases & Sizing
  - What load cases where used in the sizing?
    - Firing Load Cases
    - Inertia Load Cases
    - Stiffness Requirements
- Half Shaft (or Solid Axle)
  - Are the half shafts going to stay in the car?
    - CV Articulation Angles (full range of motion)
    - CV Plunge
    - Deflection


### Gearing

- Gear Ratios and Final Drive
  - What are the gear ratios and final drive?
- Adjustability
  - Does it need to be tuned?
  - What are the adjustment ranges?
- Gearing Optimization
  - How have the ratio selections been tuned to the vehicle?
  - How are they matched to the engines torque curve?
  - Why where the number of useable track gears selected (3spd box –vs- 6sp box)?

#### **Example Gear Chart**





#### Example Tractive Effort Plot



### Differential

- Differential Selection:
  - How does the differential selection support the cars objectives?
- Tuning Selection
  - If tunable, how was the initial differential tuning selected?









### Handling and Integration

- How has the suspension and differential been tuned together?
- How have the off throttle corner entry characteristics been tuned?
  - Spring/Bar Package
  - Damper Package
- How have the on throttle corner exit characteristics been tuned?
  - Spring/Bar Package
  - Damper Package
- Is the differential tuned for different events/courses/drivers?



# Questions?

# Dwight Woodbridge

#### FSAE Design Judge Insight

 As a judge – what I am looking for, what am I not looking for, how I score



### What are judges looking for:

- Fundamental understanding of the subject matter
- Good communication of design ideas
- Proper use of engineering theory, tools, resources to design, built, develop & validate your concept
- Demonstration of why design idea or concept is part of the submission & why it will work in competition
  - Theory / Test Results / Confirmation
- Unique / creative ways of measuring design
- Effective time management
  - Design effectively implemented on vehicle

### What judges are NOT looking for

- Poor or lack of understanding of design or concepts on car submitted for review
  - "a great design will not get points if the student team does not know why it is great" - or how/why it works
- Inability to present the design to judges
  - Inappropriate student providing design review
  - Ineffective ability to communicate or lack of understanding of the design being presented.
- Presentation of a great design concept *not* brought to competition.
  - Demonstrates lack of program management
  - Judges can't award points for items not on the car

### Examples

- Concept implemented on car that demonstrates a lap time improvement via theory (CFD / LapSim), testing (Wind Tunnel / skid pad) and the student can fully explain the concepts and details behind the submission
- Great concept implemented on car that former team developed and the presenting student(s) can not explain the theory behind the idea or does not have the fundamental understanding of the theory / concept
- Incomplete design, poor execution, poor validation


## Tri Gaffney

### Ø

# **Systems Design Theory**



### V-Chart




- The V-Chart is a good tool to visualize the design and synthesis process.
- Requirements flow down the left side
- Testing and validation flows up the right side.
- Metrics/Measurments flow back to their equivalent level.

### Iteration, Development, and Compromise

Teams that can manage this process to develop a balanced car as a system WITHIN their cost/time constraints will be successful!

- Rarely does a design team synthesize their requirements and design the part correctly the first time.
- Other influences often require significant design iteration.
- Testing in one area often forces development of the other systems to occur.



### Questions to Ask:

- > What are my vehicle goals?
- What are my design goals?
- How does my sub-system support these goals?
- How does my sub-system integrate with other systems on the car to meet the goals?

### Design Event

- Explaining your designs:
  - Make sure your supporting data is in books and having it laid out
  - Taking judges through the design process from objectives through development data.
  - Explain how your sub-system supports the overall vehicle objectives.
- What's important about the way the car looks in design:
  - Clean and prepared
  - Wires need to be tied properly, etc.
  - Have the tools to take body panels off during interview

### Questions to Ask Yourself and your Team?

- Did I use a design tool or technology because it made the car faster or because I thought the tool/technology was cool?
- Are all my sub-systems balanced? (Are there a super cool carbon re-inforced titanium widgit one end of the car and tractor bolts on the other?)
- Did the team Iterate the designs together? OR- Where they done at the last minute?

# Questions?

# Thanks!





@KazTechnologies

# WWW.KAZTECHNOLOGIES.COM